



DonJnloĖk thL İĖtŁst instĖİİĖtion shŁŁts viĖ thL o Ė Ėİİ NJL İ sitL or QR İ okL

No.5, Qinshan Road, Longyou Industrial Zone, Quzhou City, Zhejiang Province

5



SĚfLtř prLiĚutions

/

M

Please refer to the M series hardware manual for more detailed information.

Mokl i kLntifi i Ėtion

Product name)	Series model	Fixed suffix)
HC Hechuan Technology)	MA03 2AD+1DA (Analog 2AD+1DA)	BD BD Optional BD card)
Expansion card series	Fixed suffix)	Software/ Firmware customized code and other identifiers
MXB M M-Series optional expansion	200 M200 M200 series optional card	XXXX 0~9/A~Z / (N/A)

Appl. Entomol. 2014

NEMU	Mokli	Application (control Mokli)	Brief description of LTPension (Erk)
Analog expansion card	HCMXB-MA03-200-BD	HCM211-20MR-A	
		HCM211-20 -A	
		HCM211-20 A	
		HCM211-20 R-A	
		H	Y

Item			Specifications	
Altitude	≤2000m		≤ 2000m	
Operating environment			Installation within a control cabinet, open-type and indoor use	
Operating temperature	0~55		0~55	
Storage temperature	-25~70		-25~70	
Ambient humidity	10~95%RH		10~95%RH (non-condensing)	
Vibration resistance	5~150Hz X/Y/Z	1g/3.5mm	5~150Hz (X/Y/Z direction, 1g /3.5mm displacement)	
Pollution degree	2		Level 2	
Cooling method			Natural air cooling	
IP rating	IP20		IP20	
Enclosure material			Self-healing 2025-10-29	
			CN	
			EN Instruction Sheet	

CN

ElrminEl Ėnĸ NJiring kŁsı ription

(Terminal description)			Analog input wiring)*1		Analog output wiring)*1			
1+ (Analog input channel 1+)	IN	VI1+						